Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

IN THE CLAIMS

Please cancel claims 15 and 35 without prejudice.

Please amend claims 16 and 36 as follows:

1. (Original) A public key validation agent (PKVA) comprising:

an off-line registration authority for issuing a first unsigned public key validation certificate (unsigned PKVC) off-line to a subject that binds a public key of the subject to a first public key serial number (PKVN), the registration authority maintaining a certificate database of unsigned PKVCs in which it stores the first unsigned PKVC; and

an on-line credentials server for issuing a disposable public key validation certificate (disposable PKVC) on-line to the subject, the disposable PKVC binds the public key of the subject from the first unsigned PKVC to the first PKVN from the first unsigned PKVC, wherein the credentials server maintains a table that contains entries corresponding to valid unsigned PKVCs stored in the certificate database.

- 2. (Original) The PKVA of claim 1 wherein the first PKVN is different than all previous PKVNs generated by the registration authority.
- 3. (Original) The PKVA of claim 1 wherein the credentials server is responsive to a revocation request from the subject to invalidate the first unsigned PKVC entry in the table of the credential server.
- 4. (Original) The PKVA of claim 3 wherein the registration authority generates a public key revocation code (PKRC) to be used by the subject in its revocation request.
- 5. (Original) The PKVA of claim 4 wherein the registration authority sends the PKRC to the subject over a secure channel that provides data confidentiality.
- 6. (Original) The PKVA of claim 1 wherein the disposable PKVC includes an expiration date/time.

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

7. (Original) The PKVA of claim 6 wherein a validity period from when the credentials

server issues the disposable PKVC to the expiration date/time is sufficiently short such that

the disposable PKVC does not need to be subject to revocation.

8. (Original) The PKVA of claim 6 wherein the disposable PKVC is not subject to

revocation.

9. (Original) The PKVA of claim 1 wherein the table maintained by the credentials

server is a hash table containing cryptographic hashes of valid unsigned PKVCs stored in the

certificate database and including a cryptographic hash of the first unsigned PKVC.

10. (Original) The PKVA of claim 1 wherein the credential server issues the disposable

PKVC in response to a message from the subject containing the issued first unsigned

certificate.

11. (Original) The PKVA of claim 9 wherein the credentials server computes the

cryptographic hash of the first unsigned PKVC with a collision-resistant hash function.

12. (Original) The PKVC of claim 11 wherein the collision-resistant hash function is a

SHA-1 hash function.

13. (Original) The PKVC of claim 11 wherein the collision-resistant hash function is a

MD5 hash function.

14. (Original) The PKVC of claim 1 wherein the disposable PKVC permits the subject to

present the disposable PKVC to a verifier for authentication and for demonstrating that the

subject has knowledge of a private key corresponding to the public key in the disposable

PKVC.

15. (Cancelled).

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

16. (Currently Amended) The PKVA of claim 451 wherein the table maintained by the credentials server is a hash table containing cryptographic hashes of valid issued unsigned PKVCs including a cryptographic hash of the first unsigned PKVC.

- 17. (Previously Presented) The PKVA of claim 3 wherein the credentials server's response to the revocation request includes the credentials server ceasing to issue disposable PKVCs binding the subject's public key to the first PKVN.
- 18. (Previously Presented) The PKVA of claim 17 wherein the credentials server's response to the revocation request includes the credentials server removing the table entry corresponding to the first unsigned PKVC.
- 19. (Previously Presented) The PKVA of claim 17 wherein the PKVA's response to the revocation request includes the PKVA marking the first unsigned certificate in the certificate database as being invalid.
- 20. (Previously Presented) The PKVA of claim 4 wherein the revocation request that includes the PKRC previously generated by the registration authority is sent to the PKVA; and the PKVA, upon receiving the subject's revocation request, verifies that the PKRC sent by the subject coincides with the previously generated PKRC.
- 21. (Previously Presented) A method for managing the validity status of a subject's public key comprising:

issuing off-line to a subject a first unsigned public key validation certificate (unsigned PKVC) that binds a public key of the subject to a first public key serial number (PKVN); maintaining a certificate database of unsigned PKVCs in which the first unsigned PKVC is stored;

issuing on-line to the subject a disposable public key validation certificate (disposable PKVC), that binds the public key of the subject from the first unsigned PKVC to the first PKVN from the first unsigned PKVC; and

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

maintaining a table that contains entries corresponding to valid unsigned PKVCs stored in the certificate database.

22. (Previously Presented) The method of claim 21 wherein the first PKVN is different than all previously-generated PKVNs.

23. (Previously Presented) The method of claim 21 further comprising responding to a revocation request from the subject to invalidate the first unsigned PKVC entry in the

maintained table.

24. (Previously Presented) The method of claim 22 further comprising generating a public

key revocation code (PKRC) to be used by the subject in the revocation request.

25. (Previously Presented) The method of claim 23 further comprising sending the PKRC

to the subject over a secure channel that provides data confidentiality.

26. (Previously Presented) The method of claim 21 wherein the issued disposable PKVC

includes an expiration date/time.

27. (Previously Presented) The method of claim 26 wherein a validity period, from when

the disposable PKVC is issued to the expiration date/time, is sufficiently short such that the

disposable PKVC does not need to be subject to revocation.

28. (Previously Presented) The method of claim 26 wherein the issued disposable PKVC

is not subject to revocation.

29. (Previously Presented) The method of claim 21 wherein the maintained table is a hash

table containing cryptographic hashes of valid unsigned PKVCs stored in the certificate

database and including a cryptographic hash of the first unsigned PKVC.

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

30. (Previously Presented) The method of claim 21 wherein the disposable PKVC is issued in response to a message from the subject containing the issued first unsigned

certificate.

31. (Previously Presented) The method of claim 29 wherein the cryptographic hash of the

first unsigned PKVC is computed with a collision-resistant hash function.

32. (Previously Presented) The method of claim 31 wherein the collision-resistant hash

function is a SHA-1 hash function.

33. (Previously Presented) The method of claim 31 wherein the collision-resistant hash

function is a MD5 hash function.

34. (Previously Presented) The method of claim 21 wherein the issued disposable PKVC

permits the subject to present the issued disposable PKVC to a verifier for authentication and

for demonstrating that the subject has knowledge of a private key corresponding to the public

key in the disposable PKVC.

35. (Cancelled)

36. (Currently Amended) The method of claim 3521 wherein the maintained table is a

hash table containing cryptographic hashes of valid issued unsigned PKVCs including a

cryptographic hash of the first unsigned PKVC.

37. (Previously Presented) A public key infrastructure (PKI) comprising:

a subject; and

a first public key validation agent (PKVA) configured to maintain a record

representing the status of validity of the subject's public key, the record has a high probability

of being different from all other records of the first PKVA or of any other PKVA; and

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

a verifier configured to respond to an authentication of the subject, wherein the

authentication includes ascertaining the validity of the subject's public key according to the

record of the first PKVA.

38. (Previously Presented) The PKI of claim 37 wherein the first PKVA is configured to

bind the subject's public key to a first public key validation number (PKVN).

39. (Previously Presented) The PKI of claim 38 wherein the first PKVN is substantially

unique relative to all PKVNs previously used by the first PKVA.

40. (Previously Presented) The PKI of claim 38 wherein the first PKVA is configured to

issue a first certificate indicating the binding.

41. (Previously Presented) The PKI of claim 40 wherein the first PKVA is configured to

issue a second certificate indicating the validity of the subject's public key if the key has not

been invalidated.

42. (Previously Presented) The PKVA of claim 41 wherein the first PKVA is configured

to respond to a request for invalidating the subject's public key, the first PKVA's response

includes abstaining from issuing the second certificate.

43. (Previously Presented) The PKI of claim 41 wherein the PKVA is configured to

require the presentation of the first issued certificate in order to issue the second certificate.

44. (Previously Presented) The PKI of claim 41 wherein the second certificate is a signed

certificate.

45. (Previously Presented) The PKI of claim 41 wherein the second certificate is a

disposable certificate.

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

46. (Previously Presented) The PKI of claim 45 wherein the disposable certificate is

configured to expire after a selected passage of time.

47. (Previously Presented) The PKI of claim 45 wherein the disposable certificate is

configured to expire on a selected date/time.

48. (Previously Presented) The PKI of claim 37 wherein the maintained record is keyed

by a cryptographic hash.

49. (Previously Presented) The PKI of claim 37 wherein the first PKVA is configured to

respond to a request for invalidating the subject's public key.

50. (Previously Presented) The PKVA of claim 49 wherein the responding includes

verifying that the request was submitted by an entity having authorization to submit a request

for invalidating the subject's public key.

51. (Previously Presented) The PKVA of claim 50 wherein the responding includes

requiring the presentation of a public key revocation code (PKRC) in order to invalidate the

subject's public key.

52. (Previously Presented) The PKVA of claim 51 wherein the responding includes

verifying that the presented PKRC coincides with the previously generated PKRC.

53. (Previously Presented) The PKVA of claim 49 wherein the responding includes

altering the maintained record.

54. (Previously Presented) The PKVA of claim 53 wherein the altering includes changing

the validity status of the subject's public key.

55. (Previously Presented) The PKVA of claim 53 wherein the altering includes removing

the maintained record.

Applicant: Francisco Corella Serial No.: 09/759,443

Filed: January 13, 2001 Docket No.: 10001558-2

Title: PUBLIC KEY VALIDATION SERVICE

56. (Previously Presented) The PKVA of claim 49 wherein the responding includes altering accessibility to the maintained record.

- 57. (Previously Presented) The PKI of claim 37 further comprising a registration authority configured to authenticate the subject, the authentication comprises verifying that at least one purported identity attribute of the subject in fact applies to the subject.
- 58. (Previously Presented) The PKI of claim 57 wherein the registration authority is configured to respond to an assertion of the validity of the subject's public key, the assertion is based on the record maintained by the first PKVA.
- 59. (Previously Presented) The PKI of claim 57 wherein the registration authority is configured to certify the subject's authenticity, the certification includes the first PKVN, and an identifier of the first PKVA.